GLV 032.18

GOODWE

XS Plus+

C10/26 - DECLARATION OF CONFORMITY for power-generating units GLV ed2.1.2 (12/2019)

for the application of annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019)



The undersigned,

Manufacturer:

Address:

GoodWe Technologies Co., Ltd

No. 90 Zijin Rd., SND Suzhou, CHINA

Represented by:

Country:

email: Telephone: Tao Jiang CHINA

tao. jiang@goodwe.com 0086 0150 5159 0076

the following conditions:

1. The power-generating unit complies with the relevant requirements set out in annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019).

2. In order to substantiate this, a separate technical file has been submitted at least for each separate product series of the 'C10/26 list of powergenerating units' of this homologation application. Each technical file shall be drawn up on the basis of a checklist Annex D, duly and correctly completed by the manufacturer, accompanied by all the required proof of conformity.

2.1 For technical requirements for which the required proof of conformity (column J in checklist annex D) is a declaration of honour by the manufacturer, the manufacturer declares by signing and dating this declaration of conformity the correctness of the information (conform / not conform / not applicable) provided by him or her in columns K, L and M of this checklist.

2.2. For technical requirements for which the required proof of conformity (column J in checklist Annex D) is a test report or a certificate the necessary test reports and/or certificates are available * in the technical file:

- Certificates have been issued by an EN 45011 (or ISO 17065:2012) certification body accredited for these materials.

- Test reports have been established by an ISO 17025:2005 or ISO 17065:2012 laboratory accredited for these tests.

file.

Done at:

On:

Suzhou, China

16-02-2023

(stamp manufacturer & signature)



Homologated by Synergrid on:

07/06/2023 Stamp Synergrid & signature ERGRID a.s.b.l.-v.z.w.

rie Kave steingalerii 4/2 reles Brussel

* Transition period till 01/05/2020 (see exceptions in chapter 3 of C10/11 ed 2.1 (01/09/2019)):


If at the time of submission of this homologation application it is not yet possible to submit all the necessary certificates and/or test reports (exception 3), or that the units do not yet have all the required characteristics (exceptions 1 and 2), a temporary homologation may be granted. All necessary certificates and/or test reports must be in the possession of Synergrid at the latest on 30/04/2020 in order to obtain a final homologation. if

POWER-GENERATING UNITS TO BE HOMOLOGATED FOR LIST C10/26 ACCORDING TO THE REQUIREMENTS OF ANNEX D OF THE TECHNICAL PRESCRIPTION C10/11 ed2.1 (01/09/2019) 2. C10/26 list with power-generating units in accordance with annex D of C10/11 ed2.1 (01/09/2019)

GLV 032.18 GOODEE XS Pine+

checklist ed 2, 1, 2 (12/2019)

1	2	3	4	5	6	7	S	9	10			11					1	2			- 1	3		14	T 15	
	BRAND NAME	Name of the product SERIES	REFERENCE of the model / type of the unit	FIRMWARE VERSION	ONLY for units (suitable for) ene storage:		POWER POWER			ADDITIONAL CHARACTERISTICS					rics	LIMITATIONS				APPLICATION				Synergrid approval date		
SYNERGRID reference number (GLVxxx-yy-zzzz)					Name and refere	nce of the power I system			or I	D,3	()			D.7.2	0	D7.1	D.4.3	D 9 1	1							
					power control system type EnFluRi	other power control system	P _{ac,1} rated (active) power	S _{max} maximum apparent power (VA)		integrated automatic separation system	"RIG type B ready" = suitable for use in installation ≥ 1MW	additional operating frequency range (51,5 Hz - 52,5 Hz)	power response to underfrequency	active power reduction P(U)	compliant power control system provided (e.g. EnFluRi)	only homologated for "small power- generating installations"	only homologated for connection to HV-network	only homologated for use in module < 800W	only homologated as a backup powers	Solar energy	CHP (combined heat & power)	Energy storage	CKID I	Temporary homologation (expires on 01/05/2020)	Final homologation	
LV032-18-0001	GOODWE	XS Plus+		v1.00.00 or higher			700	800	1-phase	х	6	Х	x	х					0	х			H			
LV032-18-0002	GOODWE	XS Plus+	CW1000 YE 11	v1,00,00 or higher			1000	1100	1-phase	х		х	x	х						х	П	Ť	T			
LV032-18-0003	GOODWE	XS Plus+		v1.00.00 or higher			1500	1650	1-phase	х		х	х	х						х	П	T	T	p:		
LV032-18-0004	GOODWE	XS Plus+		v1.00.00 or higher			2000	2200	1-phase	х		х	х	х						х		T				
LV032-18-0005	GOODWE	XS Plus+	CW2500 VC 11	v1.00.00 or higher			2500	2750	1-phase	х		х	х	х						х		T				
LV032-18-0006	GOODWE	XS Plus+		v1.00.00 or higher			3000	3300	1-phase	х		х	х	х						х	П	7	П			
																					H					
																						4	1			
												-	\dashv	-		\dashv				+	H	+	H			
																			#Y	WE	RG	RIJ) a	s.b.l\	v.z.w.	
-																			115		Ka	VP.	nst	GIM COL	derii Ale	
												\vdash	-						7.5	10	10	3110	1XE	les/Br	ussel	



EXPLANATIONS FOR THE COMPLETION OF THE TABLE

Column	Title	Remarks	1
I.	SYNERGRID reference number (GLVxxx-yy-zzzz)	In the case of a positive homologation, each C10/25-homologated power-generating unit is given a unique Synergrid reference number: xxx = unique reference or the manufacturer yy = serial number of manufacturer xxx's record xxx zzzz = unique unit reference for the manufacturer xxx More : "GLV" is the internal Synergrid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring".	
2	Brand name	Brand name under which the unit is marketed on the Belgian market.	
3	Name of the product series	Name of the product range. Note: For each separate product range (or each group of units with common characteristics) a separate checklist according to Appendix D is required (sheet 3) together with the corresponding conformity proof documents.	
4	Reference of the model	Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference.	
5	Firmware version	Reference of the firmwore version of the unit.	
(6)	Type Entires	This more is only applicable for units builtable for energy storage, provided with a power control system of type FnFlnKi. Name and reference of the power control system of type FnFlnKi, condition to the requirements in C10-11 eds. 1 (01/09/2019) \$4.1.7 and \$7.11.2.1	
7.	4731.00	This case is only applicable for units (sultable for) energy storage, provided with a poset control system of another true than inFin8; Same and reterence of the power control system, compliant to the requirements in \$10.71 odg. () 101 09 2019) \$7.11.2.2	
8	Pac, rated (active)	Active (electrical) power in at the terminals of the unit, as stated on the technical sheet / data sheet / brochure and mamphate.	
9	Smax - maximum apparent power (VA)	Maximum apparent (electrical) power at the terminals of the unit, as stated on the certificate / the test report / the technical sheet / data sheet / brochure.	
10	1-phase or 3-phase	Indicate whether the unit is single or three-phase. This characteristic refers to the unit itself, not to the nature of the connection to the distribution network to which the unit can be connected.	
311	Additional characteristics	In these columns optional additional characteristics of the units are indicated, following the information in checklist annex D and the corresponding technical file. The put an "X" at each relevant additional characteristic. Note: Only units < 1 MW that are "type B ready" may be applied in an installation > 1 MW (installation "type B" according to the European Network Code RfG). A unit < 1 MW is only "type B ready" if it complies with all optional properties ticked in column of the checklist Annex D.	SYNERGRID a.s.b.lv.z.w. Galerie Ravensteingalerij 4/2 BE-1/00 Bauxelles/Brussel V.A.B.T.W: BE 0402.958.091
12		These columns specify limitations of the units to their application in certain types of installations, in accordance with the information in the checklist in annex. D and the corresponding technical file. Put an "X" to each relevant limitation.	V.A.B.T.W: BE 0402.958.091
13.	Application	Indicate the applications for which the unit is suitable. Include an "X" with each application for which the unit can be used.	
ii.	date Temporary homologation (expires on	Date on which the submitted homologation file was approved by Synergrid for a limited period of time. A temporary homologation is granted if the applicant invokes exceptions in chapter 3 of C10/11 ed2.1 (01/09/2019) and has not yet submitted all the test reports required for a definitive homologation with his homologation application (exception 3), or if the units do not yet have all the required properties (exceptions 1 and 2). The expiry date for a temporary homologation is 01/05/2020 - see conditions in chapter 3 of C10/11 ed.2.1 (01/09/2019).	
Iõ	Synergrid approval date Final homologation	Date on which the submitted homologation file was definitely approved by Synergrid. A final approval will be granted as soon as Synergrid has a fully compliant homologation dossier. A final homologation only remains valid under the following conditions: No changes that have an influence on the initial approval are made to (the production of) the units. There is no new edition of prescription CIO/IL. The validity date of the test reports in the technical file submitted for approval has not been exceeded. See also the general Synergrid procedure SI/OI for homologation of material, which is applicable. (1)	

(i) - SI/Ol Technical specification; procedure for application for homologation and remeral of homologation of materials

江湾

